Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6118306".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:09
L2	2	"5958058".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:10
L4	2	"20010003206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:11
L5	2	"6082623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:12
L6	1760	((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 (performance near3 (information or state$1 or data))) same (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:28
L7	1176	((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 (performance near3 (information or state$1 or data))) with (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:33
L8	2	6 same (((performance adj state) or PS) adj structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:40
L9	2	6 same (((performance adj state) or PS) near2 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:07
L10	13	6 same (performance near6 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:40
L11	7	7 with (performance near6 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:35

L12	1636	(read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) same ((processor or microprocessor or CPU) near6 (performance near3 (information or state$1 or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:56
L13	1055	(read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) with ((processor or microprocessor or CPU) near6 (performance near3 (information or state$1 or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:40
L14	2	12 same (((performance adj state) or PS) adj structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:40
L15	12	12 same (performance near6 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:41
L16	6	13 with (performance near6 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:41
L17	9	("20020129345" | "5805796" | "6208994" | "6272537" | "6301582" | "6356913" | "6370508" | "6560609" | "6567818").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 11:43
L18	5	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) near6 table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:22
L19	15	("5884080").URPN.	USPAT	OR	OFF	2005/05/27 11:51
L20	12	("4899275" | "5274776" | "5392408" | "5457799" | "5485574" | "5515519" | "5539907" | "5691920" | "5732273" | "5748855" | "5748878" | "5752062").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 11:53
L21	28	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) same table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:02
L22	7	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) with table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:58

L24	7	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) with table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:02
L25	2	"5796939".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:02
L26	17	("5796939").URPN.	USPAT	OR	OFF	2005/05/27 12:03
L27	9	("5151981" | "5193179" | "5537541" | "5557548" | "5564015" | "5642478" | "5651112" | "5675729" | "5748855").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 12:08
L28	0	6 same (((compar$3 or evaluat$3) near3 (parameter$1 or value$1)) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:51
L29	0	7 with (((compar$3 or evaluat$3) near3 (parameter$1 or value$1)) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:50
L30	0	12 same (((compar$3 or evaluat$3) near3 (parameter$1 or value$1)) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:51
L31	0	13 with (((compar$3 or evaluat$3) near3 (parameter$1 or value$1)) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:51
L32	3	6 same ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:53
L33	1	7 with ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:53
L34	3	12 same ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:55

L35	1	13 with ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:53
L36	223	((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 (performance near3 (parameter$1 or value$1))) same (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:01
L37	127	((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 (performance near3 (parameter$1 or value$1))) with (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:55
L38	0	36 same ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:56
L39	226	(read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) same ((processor or microprocessor or CPU) near6 (performance near3 (parameter$1 or value$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:56
L40	109	(read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) with ((processor or microprocessor or CPU) near6 (performance near3 (parameter$1 or value$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:56
L41	4	39 same ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:57
L42	0	40 with ((compar$3 or evaluat$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:03
L43	3	("5179693" | "6374367" | "6542938").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 12:57
L44	13	("5179693").URPN.	USPAT	OR	OFF	2005/05/27 12:58
L45	45	6 same ((clock near3 (frequenc$3 or speed$1)) or voltage$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:05

L46	10	7 with ((clock near3 (frequenc$3 or speed$1)) or voltage$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:09
L47	8	45 same (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:06
L48	0	46 with (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:03
L49	147	6 same ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:10
L50	28	7 with ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:08
L51	23	49 same (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:10
L52	0	50 with (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:06
L53	118	12 same ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:14
L54	22	13 with ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:10
L55	24	53 same (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:28

L56	2	54 with (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:10
L57	92	(processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (structure$1 or table$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:37
L58	9	57 same ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:25
L59	4	57 with ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:14
L60	28	(US-20010003206-$ or US-20020107680-$).did. or (US-5021679-$ or US-5153535-$ or US-5307003-$ or US-5627412-$ or US-5752011-$ or US-5974557-$ or US-6216235-$ or US-6487668-$ or US-6118306-$ or US-5958058-$ or US-6082623-$ or US-6738783-$ or US-6374367-$ or US-5752062-$ or US-5691920-$ or US-5539907-$ or US-5884080-$ or US-5796939-$ or US-6351724-$ or US-5179693-$ or US-5930516-$ or US-6845456-$ or US-6795927-$ or US-6272642-$ or US-5832284-$ or US-5630148-$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/27 13:16
L61	0	60 and (bus adj ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:16
L62	2	60 and (bus adj frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:22
L63	5	60 and (performance near2 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:29

L64	5	60 and ((Advanced adj configuration adj2 Power adj Interface adj Specification) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:09
L65	25	60 and (((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:07
L66	19	65 and (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:29
L67	5	65 and (performance near2 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:08
L68	3	60 and (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:10
L69	1	57 same (boot$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:37
L70	138	(processor$1 or microprocessor$1 or CPU$1) near6 (performance near3 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:39
L71	0	70 same (boot$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:45
L72	119	(processor$1 or microprocessor$1 or CPU$1) near6 (performance near3 structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:41
L73	3	72 same (updat$3 or renew$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:41

L74	386	(processor$1 or microprocessor$1 or CPU$1) same (performance near3 structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:41
L75	219	(processor$1 or microprocessor$1 or CPU$1) with (performance near3 structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:41
L76	25	74 same (updat$3 or renew$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:45
L77	5	75 with (updat$3 or renew$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:41
L78	1	76 same (boot$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:58
L79	3	76 same table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:42
L80	5	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) near6 table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:44
L81	28	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) same table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:50
L82	7	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) with table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:50
L83	0	81 same ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:45

L84	0	82 with ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:45
L85	0	81 same (boot$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:45
L86	0	81 same (updat$3 or renew$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:45
L87	6	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) same structure$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:48
L88	5	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 (performance near2 (value$1 or parameter$1 or data or information)))) with structure$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:48
L89	72	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3))) same table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:10
L90	53	((stor$3 or sav$3) near3 ((processor$1 or microprocessor$1 or CPU$1) near3 ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3))) with table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:53
L91	4	89 same performance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:53
L92	2	90 with performance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:53

L93	18	("4819164" | "4821229" | "5142684" | "5218704" | "5263173" | "5490059" | "5504910" | "5546568" | "5586308" | "5623647" | "5657482" | "5727193" | "5754869" | "5774704" | "5778237" | "5812871" | "5909585" | "5925133").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 13:54
L94	0	89 same (boot$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:35
L95	10	89 same (compar$4 or evaluat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:03
L96	5	90 with (compar$4 or evaluat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:00
L97	3	6 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:36
L98	1	7 with ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:04
L99	5	12 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:05
L100	1	13 with ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:05
L101	0	36 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:06

L102	4	39 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:11
L103	0	40 with ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:06
L104	8	(updat$3 or renew$3) same (((performance adj state) or PS) near2 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:09
L105	3	(updat$3 or renew$3) with (((performance adj state) or PS) near2 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:11
L106	894	(transition$1 or chang$3) near6 (performance near2 (state$1 or mode$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:37
L107	153	106 same (processor$1 or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:10
L108	86	106 with (processor$1 or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:10
L109	1	107 same (((performance adj state) or PS) near2 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:10
L110	1	107 same (performance near6 structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:11
L111	1	107 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:21

L112	1	107 same ((updat$3 or renew$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:34
L113	4	107 same ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 ((current or present) near3 performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:33
L114	0	108 with ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 ((current or present) near3 performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:18
L115	4	106 same ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 ((current or present) near3 performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:16
L116	19	(dynamic$4 near6 (adjust$3 near2 performance)) same (processor$1 or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:19
L117	14	(dynamic$4 near6 (adjust$3 near2 performance)) with (processor$1 or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:18
L118	0	116 same ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 ((current or present) near3 performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:18
L119	22	(dynamic$4 near6 ((adjust$3 or regulat$3 or modif$7) near2 performance)) same (processor$1 or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:20
L120	17	(dynamic$4 near6 ((adjust$3 or regulat$3 or modif$7) near2 performance)) with (processor$1 or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:20
L121	0	119 same ((current or present) near3 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:20

L122	0	119 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:22
L123	1	119 same (table$1 or structure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:22
L124	6	("5300831" | "5774704" | "5787011" | "6167524" | "6255974" | "6484041").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 14:23
L125	7	119 same ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:27
L126	4	120 with ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:25
L127	8	6 same (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:48
L128	1	7 with (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:30
L129	11	12 same (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:31
L130	4	13 with (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:31
L131	3	(performance adj state) near2 structure$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:32

L132	161	(performance near3 structure$1) near6 (processor$ or microprocessor$1 or CPU$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:33
L133	1	132 same ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 ((current or present) near3 performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:37
L134	4	132 same ((updat$3 or renew$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:38
L135	3	132 with ((updat$3 or renew$3) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:34
L136	2	132 same (boot$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:36
L137	2	132 same ((compar$4 or evaluat$4) near6 (table$1 or structure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:38
L138	1	132 same 106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:37
L139	0	132 same ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:40
L140	0	132 same ((updat$3 or renew$3) near6 ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:40
L141	0	132 same ((compar$4 or evaluat$4) near6 ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:41

L142	2	132 same ((read$3 or obtain$3 or acquir$3 or receiv$3 or get$4) near6 (parameter$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:40
L143	2	132 same ((updat$3 or renew$3) near6 (parameter$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:41
L144	0	132 same ((compar$4 or evaluat$4) near6 (parameter$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:41
L145	38	(US-20010003206-$ or US-20020107680-$ or US-20020069281-$).did. or (US-5021679-$ or US-5153535-$ or US-5307003-$ or US-5627412-$ or US-5752011-$ or US-5974557-$ or US-6216235-$ or US-6487668-$ or US-6118306-$ or US-5958058-$ or US-6082623-$ or US-6738783-$ or US-6374367-$ or US-5752062-$ or US-5691920-$ or US-5539907-$ or US-5884080-$ or US-5796939-$ or US-6351724-$ or US-5179693-$ or US-5930516-$ or US-6845456-$ or US-6795927-$ or US-6272642-$ or US-5832284-$ or US-5630148-$). did. or (US-6298448-$ or US-5778237-$ or US-5754869-$ or US-5504910-$ or US-5218704-$ or US-6721892-$ or US-6484041-$ or US-6167524-$).did. or (JP-2000172383-$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/27 14:43
L146	11	107 same (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:48
L147	5	108 with (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:48
L148	10	((stor$3 or sav$3 or contain$3) near3 (((System adj Management adj Interrupt) or SMI) adj handler)) near6 BIOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:03

L150	2	"6112164".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:04
L151	41	(US-20010003206-$ or US-20020107680-$ or US-20020069281-$).did. or (US-5021679-$ or US-5153535-$ or US-5307003-$ or US-5627412-$ or US-5752011-$ or US-5974557-$ or US-6216235-$ or US-6487668-$ or US-6118306-$ or US-5958058-$ or US-6082623-$ or US-6738783-$ or US-6374367-$ or US-5752062-$ or US-5691920-$ or US-5539907-$ or US-5884080-$ or US-5796939-$ or US-6351724-$ or US-5179693-$ or US-5930516-$ or US-6845456-$ or US-6795927-$ or US-6272642-$ or US-5832284-$ or US-5630148-$). did. or (US-6298448-$ or US-5778237-$ or US-5754869-$ or US-5504910-$ or US-5218704-$ or US-6721892-$ or US-6484041-$ or US-6167524-$ or US-6154846-$ or US-5963738-$ or US-6112164-$). did. or (JP-2000172383-$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/27 15:05
L152	7	151 and (performance near2 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:16
L153	7	152 and ((clock near3 (frequenc$3 or speed$1)) or voltage$1 or frequenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:07
L154	6	151 and ((Advanced adj configuration adj2 Power adj Interface adj Specification) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:09
L155	4	154 and (((System adj Management adj Interrupt) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:10
L156	0	151 and 105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:11

L157	6	151 and 106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:11
L158	8	151 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:13
L159	3	151 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:12
L160	10	151 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:13
L161	4	151 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:13
L162	8	151 and (performance near2 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:17
L163	6	162 and table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:17
S1	2	"5974557".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:04
S2	2	"5021679".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:04
S3	2	"5153535".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:05

S4	2	"5307003".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:05
S5	2	"5627412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:05
S6	2	"5752011".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:06
S7	2	"6216235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:06
S8	2	"6487668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:07